

## Durable Sophisticated Smart

**LINKWOOD™** is the next generation of timber products.

Made from timber direct from sawmills that is destined for scrap or low grade use. We source these boards, join them into Engineered Set Lengths, and machine them into high value hardwood products. We can also pre-coat or fully finish with 2 –4 coats of Feast Watson Oils, Intergrain or Teknos products.


### LINKWOOD™ LINKWOOD



Sawmill cuts logs into boards of various sizes and quality



We recover boards destined for low value use direct from the sawmills



We we join these into long lengths



We machine into high value timber products



Products are finished to profile and lengths required for the job


Fully Finished in factory with either **FeastWatson**, **Intergrain** or **Teknos** finishes. 3, 5, 10 YEAR FINISH WARRANTY - because finishes are factory applied to specification. Providing timber that retains the design colour, lasts longer and is more easily maintained than clear finishes.



Sawmill cuts logs into boards of various sizes and quality



We recover boards destined for low value use direct from the sawmills



We we join these into long lengths



We machine into high value timber products and apply finish coats



Products are fully finished ready-to-use, easy to maintain and look absolutely fantastic

**It saves waste, is faster to install, offers more consistent colour and wider choice, and requires less maintenance than traditional timber finishes.**

**LINKWOOD™** aims to provide a connection between the forest and the end user - that delivers higher returns to producers, material and installation benefits to the installer, a high quality product at a competitive price to the consumer, and a sustainable, responsible design option for timber products.

**LINKWOOD™** is manufactured from durable Australian Hardwoods, Silvertop Ash, Blackbutt, Stringybarks, Ironbark, Durable Reds and Cypress. Also available Messmate, Chestnut, Victorian Ash, Tasmanian Oak, mixed hardwoods. Bushfire Resisting Species available – BAL12.5, BAL19, BAL29

**LINKWOOD™** can be used virtually anywhere timber boards are used; internal or external,

structural, non-structural and appearance applications.



Melbourne Timber Manufacturing Pty Ltd (“MTM”) is a timber sourcing and processing business located in Mordialloc in Victoria. At its heart, the business predominantly transforms sustainably harvested Australian hardwood timber into value added timber products. This is done through a combination of contract production for major companies, and development and production of innovative timber products for licencing and direct sales to wholesale and retail customers. The business was established in 1987 and for almost 30 years is recognized by customers for its ability to provide innovative and specialist solutions at competitive prices.

With substantial investment in joining and moulding technology, and significant stocks of sustainably sourced timber on site we utilise this technology, to recover and add value to timber that is destined for low value use and transform it into high value, durable timber products. This process allows the recovery of a greater amount of timber from each tree to be used for high grade products.



Sourced directly from Australian sawmills. We work with sawmills seeking their lower value boards, to reclaim value by offering a higher return to the mill than the shorts were destined to give.



These boards are then ‘gauged’ or skip dressed to a uniform size to allow for grading and colour sorting. Split ends are docked off, if needed, and the individual boards are joined into the required lengths. **This is an Engineered Set Length.**





The Engineered Set Lengths are machined to the required profile – decking, cladding, lining, screens, joinery, structural timber sizes, mouldings, trims.  
Factory applied pre-coats, anti-stain, treatments and primers. Full timber surface coating by Vacuum, Flood or Spray coats. Selected surface coating by spray or brush systems. Specialist pre-coats – Fire Resistance/Flame Retardent, Termites, tannin/stain seal, preserves, oils.

Linkwood Ironbark



Linkwood F17 Hardwood



Linkwood Grey Ironbark Lining



LinkWood Protect- Natural

LinkWood PROTECT FeastWatson

Linkwood Barakula





Why is



Better?



LinkWood Protect is based on the fact that pigment in timber finishes will protect the timber better, will maintain it's appearance and design colour longer, and are easier to maintain.

BY understanding how timber finishes work, and how colour degrades in timber and in the finishes we have developed a range of products that deliver a new perspective and dependability to timber, and how we finish timber products.



No Pigment e.g. clears

Pigment e.g. semi transparent



- UV radiation gets through to the timber and degrades the lignin
- Timber turns grey
- Coating loses adhesion to timber

- UV radiation does not get through to the timber.
- The timber is protected

**FULLY FINISHED**— inline to ensure correct application, improves durability, reduces maintenance, fully backed Dulux Group warranties. No Waiting to clean and finish the job



**COATING WARRANTY up to 7 YEARS** for Teknos factory finished products, 3—5 year warranty on factory applied finishes by Intergrain and Teknos.

**IMPROVED DURABILITY**— Pre coating or finishing improves durability of durable Class1 and Class2

timbers



**LOW MAINTENANCE** - erode like oils so resists crack and peel, easily re-coat and maintenance.

## Exterior Timber

### Life Span of Intergrain Timber Finishes



TIME

**NOTE:** The above life expectancy is based on the completion of the recommended preparation, the application of the correct film thickness, and all elements being the same including timber type, porosity, age and degree of exposure.

Factory applied pre-coats, anti-stain, treatments and primers. Full timber surface coating by Vacuum, Flood or Spray coats. Selected surface coating by spray or brush systems. Specialist pre-coats – Fire Resistance/Flame Retardent, Termites, tannin/stain seal, preserves, oils.

**LINKWOOD**  
Pre-Coat™  
Protect™